

Neuro-B

Thiamine Mononitrate + Pyridoxine Hydrochloride + Cyanocobalamin

COMPOSITION:

Neuro-B[®] Tablet: Each tablet contains

Thiamine Mononitrate (Vit-B1) BP	1 00 mg
Pyridoxine Hydrochloride (Vit-B6) BP	200 mg
Cyanocobalamin (Vit-B12) BP	200 microgram

Neuro-B[®] Injection: Each 3 ml ampoule contains-

Thiamine Hydrochloride (Vit-B1) BP	1 00 mg
Pyridoxine Hydrochloride (Vit-B6) BP	1 00 mg
Cyanocobalamin (Vit-B12) BP	1 000 micrograms

PHARMACOLOGY:

Neuro-B[®] is a combination of Thiamine (Vit-B1), Pyridoxine Hydrochloride (Vit-B6) & Cyanocobalamin (Vit-B12). These vitamins play an essential role as co-enzyme in the cellular biochemical metabolism in the nervous system. Thus the combination normalizes metabolic condition of nerve cell and improves its condition. Neuro-B[®] supports the regeneration of nerve fibers and myelin sheath by activation of the metabolism & the natural repair mechanism.

INDICATION:

Neuro-B[®] tablet & injection are indicated where a deficiency of the relevant vitamins exists. It is indicated for the treatment of following diseases-

- Polyneuropathy of any origin such as- Diabetic, Alcoholic or Toxic neuropathies
- Neuritis
- Neuralgia
- Cervical Syndrome
- Shoulder-arms syndrome
- Lumbago
- Sciatica
- Myalgia
- Intercostal neuralgia
- Herpes Zoster
- Trigeminal Neuralgia
- Supportive treatment in facial paresis.

DOSAGE AND DIRECTIONS FOR USE:

Neuro-B[®] Tablet: may be administered in a dose of 1 to 3 tablets daily or as directed by the physician.

Neuro-B[®] Injection: are preferably injected intramuscularly (deep intragluteal). In severe cases 1 ampoule daily until the acute symptoms subside. For milder cases and follow-up therapy 2 or 3 ampoules per week.

SIDE EFFECT:

Neuro-B[®] is generally well tolerated. In rare cases few allergic responses may be seen.

PRECAUTION:

Cyanocobalamin should not be given before a diagnosis has been fully established because of the possibility of masking symptoms of subacute degeneration of the spinal cord. Cyanocobalamin is not a suitable form of Vitamin B12 for the treatment of optic neuropathies associated with raised plasma concentrations of cyanocobalamin.

CONTRA-INDICATION:

Neuro-B[®] should not be used in patients on Levodopa therapy. Hypersensitivity to any of the active ingredients.

USE IN PREGNANCY & LACTATION:

Neuro-B[®] Tablet & Injection: Sufficient data yet not available in this respect.

DRUG INTERACTION:

No drug interactions have yet been reported.

STORAGE INSTRUCTION:

Neuro-B[®] Tablet: Store in a cool and dry place, protected from light & moisture.

Neuro-B[®] Injection: Store below 25°C, protected from light.

Keep out of reach of children.

HOW SUPPLIED:

Neuro-B[®] Tablet: Each pack contains 30 tablets in HDPE container.

Neuro-B[®] Injection: Each pack contains 5 x 2 ampoules in Alu-PVDC blister.